

# How to sync comments in Zendesk

This article shows how to synchronize comments.

You can handle comments in different ways:

- merge local and received comments (this is a default behavior)
- filter comments
- format received comments

## Source side

### Outgoing sync

You can decide which comments to share:

#### Synchronize comments that have no group or role level assign

```
replica.comments = commentHelper.filterLocal(issue.comments)
```

#### Service Desk: Synchronize only public comments

```
replica.comments = issue.comments.findAll{!it.internal}
```



Make sure customer request type is assigned on the issue that you are synchronizing

#### Send only comments created by a certain user

```
//send only Luke Skywalker's comments  
replica.comments = issue.comments.findAll { comment -> comment.author.displayName == "Luke Skywalker" }
```

## Destination side

### Incoming sync

You can perform the following actions on comments locally:

- merge local and remote comments
- add remote comments
- filter: add comments created by a specific user
- format comments using custom formatting

You can add new comments and keep the existing comments updated using [mergeComments](#) comment helper.

This method would prepend the comment content with the author of the original comment. This is the default behavior.

```
issue.comments = commentHelper.mergeComments(issue, replica)
```

#### Apply received comments without custom formatting

The comment will be added just with the body from the original comment, without the author of the original comment.

```
issue.comments = commentHelper.mergeComments(issue, replica, {it})
```

### Create received comments as internal

```
issue.comments = commentHelper.mergeComments(issue, replica, {it.internal = true})
```

### Add comments every time the comment on the remote side was edited

This is an example of the case, where comments editing is disabled, but you still want to get updates every time the remote comment was updated

```
issue.comments += replica.addedComments
```

### Manipulate the comments via helper methods

With the help of [commentHelper](#) methods you can manipulate comments and define how to apply received comments on the local issue.

```
// Format each remote comment - add the author
issue.comments = commentHelper.mergeComments(issue, replica,
    {
        comment ->
        comment.body =
            "[" + comment.author.displayName +
                "| email: " + comment.author.email + "]" +
                " commented: \n" +
            comment.body + "\n"
    }
)
```

### Gather statistic from comments

This is an example of [groovy collection methods](#) usage. It helps to get better control over the collection contents.

```
def numberOfCommentsPerAuthors = issue.comments.inject([:]) { result, comment ->
    def numberOfCommentsPerAuthor = result[comment.author.key]
    numberOfCommentsPerAuthor = numberOfCommentsPerAuthor ?: 0
    result[comment.author.key] = numberOfCommentsPerAuthor + 1
    result
}
```

#### Example for a comment list if you use the script above

```
[
    [ author:[key:"luke.skywalker"], body:"I'm a jedi knight, like my father before me" ],
    [ author:[key:"darth.vader"], body:"I am your father!" ],
    [ author:[key:"luke.skywalker"], body:"Noooooooooooo!" ]
]
numberOfCommentsPerAuthors would be [{"luke.skywalker" : 2,"darth.vader" : 1}]
```

## See Also

[How to Impersonate a Comment](#)

[How to manage comment visibility](#)

[Comment visibility - an advanced issue sync case](#)

*Back to* [Basic configuration in Exalate for Zendesk](#)