

# List of external scripts for Jira on-premise

This article shows examples of scripts, which can be used in various use cases.



These scripts are examples and need to be adapted to your specific use cases to work.

## Examples

Script / Article link	Used to	Supported platforms
<a href="#">Versions.groovy</a>	Sync versions	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">Components.groovy</a>	Sync components	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">ExalateEventListener.groovy</a> <b>DEPRECATED</b>	Subscribe to Exalate Jira issue events: <ul style="list-style-type: none"><li>• exalated</li><li>• unexalated</li><li>• updated</li><li>• deleted</li></ul>	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">Status.groovy</a>	Sync statuses	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">IssueLinks.groovy</a>	Sync issue links	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">Move.groovy</a>	Move issues automatically	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">CustomFieldSync.groovy</a>	Sync custom fields	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">SubTask.groovy</a>	Sync sub tasks	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">Epic.groovy</a>	Sync epics on Jira Server / Jira Data Center	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">TempoWorkLogSync</a>	Sync Tempo worklogs	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>
<a href="#">SimpleSprintSync.groovy</a> <b>DEPRECATED</b> Check out <a href="#">How to sync sprints in Jira on-premise</a> for relevant info on syncing sprints.	Sync sprints	<a href="#">JIRA SERVER</a> <a href="#">JIRA DATA CENTER</a>

## See also

- [External scripts library](#)
- [Simple sprint synchronization on Jira on-premise](#)

- [Externalizing existing scripts](#)
- [Adding basic external script](#)
- [Components.groovy](#)
- [Matching Custom Field sync using external scripts in Jira Server](#)
- [Versions.groovy](#)
- [List of external scripts for Jira Cloud](#)
- [How to set a default epic on the destination side in Jira on-premise](#)
- [Jira on-premise: Creating a Jira link between issues in local sync](#)
- [Jira on-premise: How to move existing scripts to the external scripts library](#)
- [How to set up an advanced scripting environment in Exalate for Jira on-premise](#)
- [How to set up an advanced scripting environment in Jira Cloud](#)
- [Working with external scripts in Jira Cloud](#)
- [Working with external scripts in Jira on-premise](#)
- [ExalateEventListener.groovy](#)
- [How to sync issue links on Jira Cloud](#)
- [IssueLinks.groovy](#)
- [List of external scripts for Jira on-premise](#)
- [Sub-task sync using external scripts in Jira Server](#)
- [How to sync epics in Jira Cloud](#)
- [How to move issues automatically in Jira Server](#)
- [Status synchronization on Jira Server](#)
- [Syncing Tempo worklogs in Jira Cloud](#)
- [How to add an external script in Jira on-premise](#)